

## Commonly Administered Pediatric Vaccines/ Toxoids

CPT Product Code	<i>Separately report the administration with Current Procedural Terminology (CPT ) codes 90460-90461 or 90471-90474 [Please see table below]</i>	Manufacturer	Brand	ICD-9-CM‡	No. of Vaccine Components
90620	Meningococcal recombinant protein and outer membrane vesicle vaccines, serogroup B, 2 dose schedule, for intramuscular use	Novartis	Bexsero	V03.89	1
90621	Meningococcal recombinant lipoprotein vaccine, serogroup B, 3 dose schedule, for intramuscular use	Pfizer	Trumbena	V03.89	1
90630	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for intradermal use	sanofi pasteur	Fluzone Intradermal Quadrivalent	V04.81	
90633	Hepatitis A vaccine, pediatric/adolescent dosage, 2 dose, for intramuscular use	GlaxoSmithKline Merck	HAVRIX VAQTA	V05.3	1
90644	Meningococcal conjugate vaccine, serogroups C & Y and Hemophilus influenza B vaccine (MenCY-Hib), 4-dose schedule, when administered to children 2-15 months of age, for intramuscular use	GlaxoSmithKline	MenHibrix™	V06.8	2
90647	Hemophilus influenza B vaccine (Hib), PRP-OMP conjugate, 3 dose, for intramuscular use	Merck	PedvaxHIB	V03.81	1
90648	Hemophilus influenza B vaccine (Hib), PRP-T conjugate, 4 dose, for intramuscular use	sanofi pasteur GlaxoSmithKline	ActHIB HIBERIX	V03.81	1
90649	Human Papilloma virus vaccine, types 6, 11, 16, 18 quadrivalent (HPV4), 3 dose schedule, for intramuscular use	Merck	GARDASIL	V04.89	1
90650	Human Papilloma virus vaccine, types 16 and 18, bivalent (HPV2), 3 dose schedule, for intramuscular use	GlaxoSmithKline	CERVARIX™	V04.89	1
90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonvalent (HPV9), 3 dose schedule, for intramuscular use	Merck	GARDASIL 9	V04.89	1
90655	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, for children 6-35 months of age, for intramuscular use	sanofi pasteur	Fluzone No Preservative Pediatric	V04.81	1
90656	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, when administered to 3 years of age and above, for intramuscular use	Merck sanofi pasteur Novartis GlaxoSmithKline GlaxoSmithKline	Afluria Fluzone No Preservative Fluvirin FLUARIX™ FLULAVAL	V04.81	1
90657	Influenza virus vaccine, trivalent (IIV3), split virus, 6-35 months dosage, for intramuscular use	sanofi pasteur	Fluzone	V04.81	1
90658	Influenza virus vaccine, trivalent (IIV3), split virus, 3 years and older dosage, for intramuscular use	Merck sanofi pasteur GlaxoSmithKline Novartis	Afluria Fluzone FLULAVAL Fluvirin	V04.81	1
90670	Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use	Pfizer	PREVNAR 13™	V03.82	1
90672	Influenza virus vaccine, quadrivalent (LAIV), live, intranasal use	MedImmune	Flumist Quadrivalent	V04.81	1
90680	Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use	Merck	RotaTeq	V04.89	1
90681	Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use	GlaxoSmithKline	ROTARIX	V04.89	1
90685	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for children 6-35 months of age, for intramuscular use	sanofi pasteur	Fluzone Quadrivalent	V04.81	1

Effective 02/01/2015

## Commonly Administered Pediatric Vaccines/ Toxoids

CPT Product Code	Separately report the administration with Current Procedural Terminology (CPT ) codes 90460-90461 or 90471-90474 [Please see table below]	Manufacturer	Brand	ICD-9-CM‡	No. of Vaccine Components
90686	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, when administered to 3 years of age and above, for intramuscular use	sanofi pasteur GlaxoSmithKline	Fluzone Quadrivalent FLUARIX Quadrivalent	V04.81	1
90687	Influenza virus vaccine, quadrivalent (IIV4), split virus, 6–35 months dosage, for intramuscular use	sanofi pasteur	Fluzone Quadrivalent	V04.81	1
90688	Influenza virus vaccine, quadrivalent (IIV4), split virus, 3 years and older dosage, for intramuscular use	sanofi pasteur GlaxoSmithKline	Fluzone Quadrivalent FLULAVAL	V04.81	1
90696	Diphtheria, tetanus toxoids, and acellular pertussis vaccine and poliovirus vaccine, inactivated (DTaP-IPV), when administered to children 4 years through 6 years of age, for intramuscular use	GlaxoSmithKline	KINRIX™	V06.3	4
90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenza type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use			V06.8	6
90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, <i>haemophilus influenza</i> Type B, and poliovirus vaccine, inactivated (DTaP-Hib-IPV), for intramuscular use	sanofi pasteur	Pentacel	V06.8	5
90700	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to younger than seven years, for intramuscular use	sanofi pasteur GlaxoSmithKline	DAPTACEL INFANRIX	V06.1	3
90702	Diphtheria and tetanus toxoids (DT), adsorbed when administered to younger than seven years, for intramuscular use	sanofi pasteur	Diphtheria and Tetanus Toxoids Adsorbed	V06.5	2
90707	Measles, mumps, and rubella virus vaccine (MMR), live, for subcutaneous use	Merck	M-M-R II	V06.4	3
90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use	Merck	ProQuad	V06.8	4
90713	Poliovirus vaccine (IPV), inactivated, for subcutaneous or intramuscular use	sanofi pasteur	IPOL	V04.0	1
90714	Tetanus and diphtheria toxoids (Td) adsorbed, preservative free, when administered to seven years or older, for intramuscular use	sanofi pasteur	TENIVAC	V06.5	2
90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to 7 years or older, for intramuscular use	sanofi pasteur GlaxoSmithKline	ADACEL BOOSTRIX	V06.1	3
90716	Varicella virus vaccine (VAR), live, for subcutaneous use	Merck	VARIVAX	V05.4	1
90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and poliovirus vaccine (DTaP-Hep B-IPV), for intramuscular use	GlaxoSmithKline	PEDIARIX	V06.8	5
90732	Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to 2 years or older, for subcutaneous or intramuscular use	Merck	PNEUMOVAX 23	V03.82	1
90733	Meningococcal polysaccharide vaccine, serogroups A, C, Y and W-135, quadrivalent (MenACWY or MPSV4), for subcutaneous use	sanofi pasteur	Menomune	V03.89	1
90734	Meningococcal conjugate vaccine, serogroups A, C, Y and W-135, quadrivalent (MenACWY or MPSV4), for intramuscular use	sanofi pasteur Novartix	Menactra Menevo	V03.89	1

## Commonly Administered Pediatric Vaccines/ Toxoids

CPT Product Code	Separately report the administration with Current Procedural Terminology (CPT) codes 90460-90461 or 90471-90474 [Please see table below]	Manufacturer	Brand	ICD-9-CM*	No. of Vaccine Components
90740	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose, for intramuscular use	Merck	RECOMBIVAX HB	V05.3	1
90743	Hepatitis B vaccine (HepB), adolescent, 2 dose, for intramuscular use	Merck	RECOMBIVAX HB	V05.3	1
90744	Hepatitis B (HepB), pediatric/adolescent dosage, 3 dose, for intramuscular use	Merck  Glaxo SmithKline	RECOMBIVAX HB  ENERGIX-B	V05.3	1
90746	Hepatitis B vaccine (HepB), adult dosage, for intramuscular use	Merck  Glaxo SmithKline	RECOMBIVAX HB  ENERGIX-B	V05.3	1
90747	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose, for intramuscular use	Glaxo SmithKline	ENERGIX-B	V05.3	1
90748	Hepatitis B and Hib (Hep B-Hib), for intramuscular use	Merck	COMVAX	V06.8	2
90749	<b>Unlisted vaccine or toxoid</b>	Please	See	ICD	Manual

	Immunization Administration (IA) Codes		^CPT 2012 manual has defined an “other qualified healthcare professional” as one who is qualified by education and training, licensure/regulation, and facility privileging who performs a professional service within his/her scope of practice and independently reports that service. These professionals are distinct from “clinical staff.” A clinical staff member is a person who works under the supervision of a physician or other qualified healthcare professional and who is allowed by law, regulation and facility policy to perform or assist in the performance of a specified professional service, but who does not individually report that professional service. Therefore based on these new restrictions, if clinical staff alone performs vaccine counseling, you must defer to codes 90471-90474.
	<b>IA Through Age 18 With Counseling<sup>A</sup></b>		
90460	IA through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first or only component of each vaccine or toxoid component administered (Do not report with 90471 or 90473)		
+90461	IA through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine or toxoid component administered		
	<b>Immunization Administration</b>		
90471	IA, one injection (Do not report with 90460 or 90473)		
+90472	IAa, each additional injection		
90473	IA by intranasal/oral route; one vaccine (Do not report with 90460 or 90471)		
+90474	IA by intranasal/oral route; each additional vaccine		

\*ICD-9-CM guidelines indicate that immunization administered as part of a routine well baby or child check should be reported with code V20.2. These codes listed above can be reported in addition to the V20.2 codes if specific payers request them. Immunizations administered in encounters other than those for a well baby or child check should be reported only with the codes listed above. On October 1, 2015 when ICD-10-CM is implemented, code Z23 is reported for all vaccines related encounters for all vaccines given.

<sup>A</sup>Vaccine pending FDA approval [<http://www.ama-assn.org/ama/pub/category/10902.html>]

+Denotes add-on code. Report code only with appropriate primary procedure. Report 90461 with 90460 only. Report 90472 and 90473 in addition to 90460 or 90471 or 90473.

Developed and maintained by the American Academy of Pediatrics. For reporting purposes only.

CPT® Copyright 2014 American Medical Association. All rights reserved.